



Model No.

RLXX Y1382012Z 138x138x20mm

Frame and Impeller Material :
Plastic (UL 94V-O)

Bearing system :
Ball Bearing (B)
Sleeve Bearing (S)

Lead Wires :
UL 1007 AWG 28 or equivalent.
Red:+, Black:-

Model No. :

RLXX Y1382012Z

XX= 0~9 or A~Z


Y=Bearing system, can be B or S type..
Z=Fan speed, can be L, M, H, HH or EH.

Net Weight :


126g



OUTLINE



CHARACTERISTIC CURVES



SPECIFICATIONS

Model No.	Operating Voltage Range	Rated Voltage	Rated Current	Rated Input Power	Speed	Max Air Flow		Max Air Pressure		Noise
	V _{DC}	V	Amp	Watt	R.P.M	m ³ /min	CFM	mmH ₂ O	inH ₂ O	dBA
RLXX B/S1382012L	6~13.8	12	0.20	2.40	1200	2.19	77.43	1.54	0.06	23.2
RLXX B/S1382012M	6~13.8	12	0.30	3.60	1500	2.71	95.62	2.08	0.08	28.2
RLXX B/S1382012H	3.5~13.8	12	0.40	4.80	1800	3.17	112.04	2.95	0.12	33.5
RLXX B/S1382012HH	4.5~13.8	12	0.60	7.20	2100	3.75	132.46	3.77	0.15	38.1
RLXX B/S1382012EH	4.5~13.8	12	0.80	9.60	2500	4.46	157.36	4.55	0.18	42.9